




**3460EA**

## **AUDIO ENTRANCE PANEL FOR EMERGENCY CALLS. VIP SYSTEM**



Stainless steel panel with a single call button and indicator LEDs for call forwarded and call answered. Complete with audio/video module Art. 4682C for ViP system and flush-mounted box. "EMERGENCY" model with Braille text. Can be wall-mounted using accessory Art. 3461.



**3460EA**

## AUDIO ENTRANCE PANEL FOR EMERGENCY CALLS. VIP SYSTEM

|                             |                                 |
|-----------------------------|---------------------------------|
| Type                        | Monoblock                       |
| Height (mm)                 | 229                             |
| Width (mm)                  | 180                             |
| Depth (mm)                  | 59                              |
| Product color               | Steel                           |
| Product weight (g)          | 2100                            |
| Type of finishing materials | Stainless steel AISI 316        |
| Flush-mounted               | Yes                             |
| Wall-mounted                | Yes, with a dedicated accessory |

### COMPATIBLE SYSTEMS

|  |          |
|--|----------|
| Compatible audio and audio/video units | Art.1682 |
| ViP                                    | Yes      |

### AUDIO FEATURES

|                          |                          |
|--------------------------|--------------------------|
| Microphone               | 9.7 (∅), omnidirectional |
| Loudspeaker              | 50mm (∅), 8 Ohm, 0.2W    |
| Technologies implemented | Echo canceling           |

### ELECTRICAL CHARACTERISTICS

|                            |                            |
|----------------------------|----------------------------|
| Type of power supply       | PoE, External power supply |
| Supply voltage             | 30÷57VDC                   |
| PoE power supply           | 36÷57VDC, standard PoE     |
| Absorption in stand-by (W) | 2                          |
| Maximum absorption (W)     | 4                          |

### HARDWARE FEATURES

|                             |              |
|-----------------------------|--------------|
| Call type                   | Push-buttons |
| Type of buttons             | Mechanical   |
| Number of push-buttons (n°) | 1            |



**3460EA**

## AUDIO ENTRANCE PANEL FOR EMERGENCY CALLS. VIP SYSTEM

|                        |   |
|------------------------|---|
| Clamps                 | TX- TX+RX- RX+V- V+RTE GND SE COM NC NO     |
| Removable terminals    | Yes   |
| Number of inputs (n°)  | 2   |
| Number of outputs (n°) | 2   |
| Type of outputs        | Relay C-NO, 2.5A max@12VDC/24VAC (15A peak) |

### SETTINGS

|                    |     |
|--------------------|-----|
| Loudspeaker volume | Yes |
|--------------------|-----|

### NETWORK AND COMMUNICATION PROTOCOLS

|                     |                    |
|---------------------|--------------------|
| Type of LAN network | Ethernet 10 Mbit/s |
|---------------------|--------------------|

### ENVIRONMENTAL AND COMPLIANCE FEATURES

|                                   |  |
|-----------------------------------|--|
| IP protection rating              | IP54   |
| Vandal Resistant rating (IK code) | IK08   |
| Operating temperature (°C)        | -25 ÷ 55   |
| Operating humidity (RH max) (%)   | 25 ÷ 95  |
| Environmental class               | IV   |
| CE certifications                 | RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011) |

### MAIN FUNCTIONS

|                                     |     |
|-------------------------------------|-----|
| Door opener                         | Yes |
| Number of auxiliary relays (n°)     | 1   |
| Input for local door release button | Yes |
| Visual indications of system status | Yes |



**3460EA**

## **AUDIO ENTRANCE PANEL FOR EMERGENCY CALLS. VIP SYSTEM**



**3464 SIREN FOR EMERGENCY COLUMN**



**3463 EMERGENCY ENTRANCE PANEL COLUMN**

Stainless steel surface-mounted column. To be finished with an emergency entrance panel and flashing light. Users in difficulty can use the call button on the entrance panel to send a call to request help from the emergency services. Dimensions: 250x702x100 mm



**3461 WALL HOUSING FOR EMERGENCY AND HELP POINT**

Stainless steel accessory for wall-mounted entrance panels Art. 3460EA, 3460HEV, 3460HA, 3460HHV. Dimensions 175.8x226.6x56.6mm