



**VS8101**

## VISTO ETHERNET EXTERNAL UNIT. VIP SYSTEM



Italian design Visto series wall-mounted doorbell unit for ViP IP video entry system. Complete with one call button, wide-angle colour camera, audio speaker and microphone. ViP and standard POE power supply. Dark graphite RAL9011 colour. Dimensions (W x H x D): 47x136x32 mm.

### AWARDS





**VS8101**

**VISTO ETHERNET EXTERNAL UNIT. VIP SYSTEM**

**GENERAL DATA**

Type	Monoblock
Height (mm)	136
Width (mm)	47
Depth (mm)	32
Product weight (g)	155
Product color	Dark Graphite RAL9011
Type of finishing materials	ABS
Wall-mounted	Yes

**COMPATIBLE SYSTEMS**

ViP	Yes
-----	-----

**AUDIO FEATURES**

Technologies implemented	Full-Duplex, Echo canceling, Noise reduction
--------------------------	----------------------------------------------

**CAMERA FEATURES**

Camera	Colours
Sensor type	1/4" CMOS
Lens optical dimensions (mm)	1.6
Angle of view (H x V - °)	170 (diagonal)
Video resolution (H x V - pixel)	1280x720 (HD 720p)
Video compression	H.264

**ELECTRICAL CHARACTERISTICS**

Type of power supply	PoE
Supply voltage	37÷57 VDC (ViP)
PoE power supply	Standard IEEE 802.3af, 36÷57VDC, standard PoE
PoE class	Class 2
Absorption in stand-by (W)	3.84
Maximum absorption (W)	6.49



**VS8101**

**VISTO ETHERNET EXTERNAL UNIT. VIP SYSTEM**

**HARDWARE FEATURES**

Call type	Push-buttons
Type of buttons	Mechanical
Number of push-buttons (n°)	1
Backlight colour	White
Removable terminals	Yes
Number of outputs (n°)	1
Type of outputs	Relay (C-NO, 1A@30VDC)

**NETWORK AND COMMUNICATION PROTOCOLS**

Type of LAN network	Ethernet 10 Mbit/s
IP address assignment	Auto IP, DHCP, Static

**ENVIRONMENTAL AND COMPLIANCE FEATURES**

IP protection rating	IP54
Operating temperature (°C)	-25 ÷ 55
Operating humidity (RH max) (%)	25 ÷ 95
Environmental class	IV
CE certifications	RoHS II - 2011/65/UE (EN IEC 63000:2018), EMC 2014/30/UE (EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011)

**MAIN FUNCTIONS**

Door opener	Yes
Number of auxiliary relays (n°)	1
Visual indications of system status	Yes
Acoustic signals of system status	Yes



**VS8101**

## VISTO ETHERNET EXTERNAL UNIT. VIP SYSTEM

### ACCESSORIES



**3528 ADAPTER PLATE FOR VISTO KIT**

Plate for the installation of the Visto smart doorbell on existing recessed boxes type 503 (horizontal and vertical) with interaxis of 83.5mm, square boxes with interaxis of 62mm, box type 502/German/round with interaxis of 60mm. Made of PMMA, white color.



**3526 UP-DOWN ADJUSTABLE BRACKET FOR VISTO**

Up/down adjustable bracket for Visto smart doorbell, 10° vertical inclination, plastic material, silver mist RAL9006 colour.



**3532 ADDITIONAL WIRELESS BELL FOR VISTO KIT**

Wireless additional bell for Visto smart doorbell, 433 MHz operating frequency, adjustable volume, various selectable melodies, powered by 2 batteries (size AA, 1.5V, not included), wall mounting, white/silver color.



**3527W CLOUD WHITE COVER FOR VISTO EXTERNAL UNIT**

Cover replacement for Visto smart doorbell. Plastic material, cloud white RAL9003 color.



**3527S SILVER MIST COVER FOR VISTO EXTERNAL UNIT**

Cover replacement for Visto smart doorbell. Plastic material, silver mist RAL9006 color.



**3527B DARK GRAPHITE COVER FOR VISTO EXTERNAL UNIT**

Cover replacement for Visto smart doorbell. Plastic material, dark graphite RAL9011 color.



**VS8101**

## VISTO ETHERNET EXTERNAL UNIT. VIP SYSTEM

### ACCESSORIES



**3525 LEFT-RIGHT ADJUSTABLE BRACKET FOR VISTO**

Left/right adjustable bracket for Visto smart doorbell, 20° horizontal inclination, plastic material, silver mist RAL9006 colour.