

Eaton KEY-KP01

Catalog Number: KEY-KP01

Bus mounted keypad with prox reader

General specifications

Product Name	Catalog Number
Eaton surface mounted keypad for intruder system	KEY-KP01
	EAN
	5060096852971
Product Length/Depth	Product Height
28 mm	128 mm
Product Width	Product Weight
128 mm	0.22 kg
Compliances	
CE marking	

Product specifications

Internal prox

Yes

Operating temperature - min

-10 °C

Battery charge outputs

0

Dedicated PA keys

Yes

EN 50131 Grade

3

Mounting Method (ETIM)

Surface mounting

Type of bus device

Keypad

VdS Class

None

With LCD indication

Yes

Rechargeable battery

Not applicable

Current normal

35 mA

Data sheets

KEY-K series

External prox

Yes

Number of groups

0

Colour

White

Transistor outputs

1

Radio frequency

Not applicable

Operating temperature - max

Resources

Catalogues

Scantronic radio devices battery list

KEY-K01, KEY-KP01 and KEY-KPZ01 Keypads - Datasheet

KEY-KPZ01 Keypad - Declaration of conformity

Residential and commercial security systems catalogue

KEY-RKBS Keypad base station - Declaration of conformity

KEY-RKPZ Keypad - Declaration of conformity

KEY-RKPZ Two-way keypad - Datasheet

i-RK01 and i-KP01 Entry level keypads - Datasheet

i-KP01 Keypad - Datasheet

i-kp01 Wired keypad - Declaration of conformity

55 °C

Colour (ETIM)

White

Zone inputs

0

Supply - max

13.8 V

Display

Yes

Current - max

65 mA

Type

Keypad

Touch panel

No

Supply - min

10 V

Loudspeaker connection

No

Device connections

Wired

Environmental class

2



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)